

## Stainless steel trackball

Model No. LBKT35100



### TECHNICAL DATA

Protection Level: IP65; NEMA4X

Lifespan: > 5 years.

Interface: PS2, USB available.

Supply Voltage: +5V DC +/-5%

Operating temperature: -10C to +60C.

Storage temperature: -20C to +70C.



### MAIN FEATURE

Dimensions: 110mm x 83mm

Dustproof, Water proof, Vandalism resistance

Mounting type: Rear Mounting

Keyswitch Technology: Silicone switching element

keyswitch lifetime: > 5 million of operations.

Actuation Force/travel: 1N

Mounting Rack: Aluminum alloy

Lettering: laser engraved legends for excellent durability

G.W.: 0.75kg.

Track ball diameter: 38mm.

[info@logicbus.com.mx](mailto:info@logicbus.com.mx)

[www.logicbus.com.mx](http://www.logicbus.com.mx)

Alcalde #1822 Col. Miraflores C.P. 44270 Guadalajara, Jal. Mexico  
MX 01 (33) 3854-5975 y 3823-4349 USA 001 (858)-869-5401 (Chula Vista, CA. Office)

## Stainless steel trackball

**Model No. LBKT35101**



### TECHNICAL DATA

Protection Level: IP65; NEMA4X

Lifespan: > 5 years.

Interface: PS2, USB available.

Supply Voltage: +5V DC +/-5%

Operating temperature: -10C to +60C.

Storage temperature: -20C to +70C.



### MAIN FEATURE

Dimensions: 110mm x 83mm

Dustproof, Water proof, Vandalism resistance

Mounting type: Rear Mounting

Keyswitch Technology: Silicone switching element

keyswitch lifetime: > 5 million of operations.

Actuation Force/travel: 1N

Mounting Rack: Aluminum alloy

Lettering: laser engraved legends for excellent durability

G.W.: 0.75kg.

**Track ball diameter: 38mm.**

[info@logicbus.com.mx](mailto:info@logicbus.com.mx)

[www.logicbus.com.mx](http://www.logicbus.com.mx)

Alcalde #1822 Col. Miraflores C.P. 44270 Guadalajara, Jal. Mexico  
MX 01 (33) 3854-5975 y 3823-4349 USA 001 (858)-869-5401 (Chula Vista, CA. Office)

## Stainless steel Desktop trackball

**Model No. LBKT35101-DT**



### TECHNICAL DATA

Protection Level: IP65; NEMA4X  
Lifespan: > 5 years.  
Interface: PS2, USB available.  
Supply Voltage: +5V DC +/-5%  
Operating temperature: -10C to +60C.  
Storage temperature: -20C to +70C.



### MAIN FEATURE

Dimensions: 110mm x 83mm  
Dustproof, Water proof, Vandalism resistance  
Mounting type: Rear Mounting  
Keyswitch Technology: Silicone switching element  
keyswitch lifetime: > 5 million of operations.  
Actuation Force/travel: 1N  
Mounting Rack: Aluminum alloy  
Lettering: laser engraved legends for excellent durability  
G.W.: 1.25kg.

Track ball diameter: 38mm.

[info@logicbus.com.mx](mailto:info@logicbus.com.mx)

[www.logicbus.com.mx](http://www.logicbus.com.mx)

Alcalde #1822 Col. Miraflores C.P. 44270 Guadalajara, Jal. Mexico  
MX 01 (33) 3854-5975 y 3823-4349 USA 001 (858)-869-5401 (Chula Vista, CA. Office)

**Stainless steel touchpad****Model No. LBKC35300****TECHNICAL DATA**

Protection Level: IP65; NEMA4X

Lifespan: &gt; 5 years.

Interface: PS2, USB available.

Supply Voltage: +5V DC +/-5%

Operating temperature: -10C to +60C.

Storage temperature: -20C to +70C.

**MAIN FEATURE**

Dimensions: 110mm x 83mm

Dustproof, Water proof, Vandalism resistance

Mounting type: Rear Mounting

Keyswitch Technology: Silicone switching element

Keyswitch lifetime: &gt; 5 million of operations.

Actuation Force/travel: 1N

Mounting Rack: Aluminum alloy

Lettering: laser engraved legends for excellent durability

G.W.: 0.7kg.

[info@logicbus.com.mx](mailto:info@logicbus.com.mx)[www.logicbus.com.mx](http://www.logicbus.com.mx)

Alcalde #1822 Col. Miraflores C.P. 44270 Guadalajara, Jal. Mexico  
MX 01 (33) 3854-5975 y 3823-4349 USA 001 (858)-869-5401 (Chula Vista, CA. Office)

## Silicone mouse

**Model No. LBSM35501**



Water-resistant silicone mouse, Dust-resistant, sealed and washable

Water and chemical-resistant

Sealed in silicone

Thin and ergonomic

Durable

One year warranty

Weight: 85g

Dimensions: 90 x 55 x 20mm

Cable length: 1.83m

Storage temperature: -20C up to 70C (-4F up to 158F)

Operating temperature: 0C up to 70C (32F up to 158F)

Resistance: IP 67

Color: black, white, blue, red and orange



[info@logicbus.com.mx](mailto:info@logicbus.com.mx)

[www.logicbus.com.mx](http://www.logicbus.com.mx)

Alcalde #1822 Col. Miraflores C.P. 44270 Guadalajara, Jal. Mexico  
MX 01 (33) 3854-5975 y 3823-4349 USA 001 (858)-869-5401 (Chula Vista, CA. Office)

## Silicone mouse

**Model No. LBSM35502**



Can be disinfected  
Water and chemical-resistant  
Sealed in silicone  
Thin and ergonomic  
Durable  
One year warranty  
Weight: 85g  
Dimensions: 90 x 55 x 20mm  
Cable length: 1.83m  
Storage temperature: -20C up to 70C (-4F up to 158F)  
Operating temperature: 0C up to 70C (32F up to 158F)  
Resistance: IP 67

Color: black, white, blue, red and orange



[info@logicbus.com.mx](mailto:info@logicbus.com.mx)

[www.logicbus.com.mx](http://www.logicbus.com.mx)

Alcalde #1822 Col. Miraflores C.P. 44270 Guadalajara, Jal. Mexico  
MX 01 (33) 3854-5975 y 3823-4349 USA 001 (858)-869-5401 (Chula Vista, CA. Office)