

# Features / )

- Intel N3350/4200 CPU
- 1 x SO-DIMM up to 8GB memory

**Palm-size Automation Controller** 

- USB Type-C support
- 1 x Display port
- 2 x USB3, 2 x LAN
- 1 x mSATA, 1 x SD
- 1 x mini PCle for Wi-Fi/GPS/LTE
- I/O Expansion modules
- Wide range DC 9~36V power input



### Specifications /

System	
CPU	Intel N3350 (Dual-core), N4200 (Quad-core)
System Chipset	SoC
Memory	1 x 204 pin SO-DIMM DDR3L up to 8GB

I/O Interface	
Ethernet	2 x GbE
USB	1 x USB2, 2 x USB3 (with lock), 1 x USB3 Type-C (ALT mode)

Storage Space	
Storage	1 x mSATA socket (SATA3) for faster OS access 1 x SD socket for compact and removable storage

Display		
Video	1 x DP 1.2	

Expansion		
Expansion	1 x full-size mPCle, 1 x micro-SIM socket Option 1: 2 x COM (DB9) Option 2: 3 x COM (Terminal Block) Option 3: 2 x USB2 Option 4: 16 x DIO (Terminal Block)	

Power		
Power Button	1 x power button with LED light	
Power Input	DC 9~36V	
Power Connector	1 x 3-pin connector	


Mechanical		
Mounting	DIN-rail and Wall-mount support	
Dimensions	140 x 120 x 42 mm	
Net Weight	0.78 kg	


0°C~50°C/ -20°C~60°C for option
-40°C~85°C
10 to 90%@ 40°C, non-condensing
Meet CE/FCC Class A


#### Operating System Support Win10 IoT, Linux 4.20.2


# Dimensions /


### DIN-rail



















### Wall-mount











V 1.0