










**CATALOG OF INDUSTRIAL KEYBOARDS
BY LOGICBUS**

METALLIC KEYBOARD



Metallic Keyboard whitout Trackball-Touchpad

MODEL	IMAGE	DESCRIPTION
LBKB35002-BL-5MHUB		Industrial keyboard in Spanish with 64 keys, finished in stainless steel in black color, USB interface, protection NEMA4X IP65 resistant to water, dust and vandalism. Dimensions 300mm x 110mm. Includes USB Host to connect an accessory and 5m cable
LBMKB35702		Mini stainless steel keyboard, with 87 keys, for rear mounting. It is resistant to dust, water and vandalism. Protection IP65, NEMA4X. Dimensions 244mm x 104mm
LBKB35002-BL		Industrial keyboard in Spanish with 64 keys, finished in stainless steel in black color, USB interface, protection NEMA4X IP65 resistant to water, dust and vandalism. Dimensions 300mm x 110mm

<p>LBKB35002-BL-HUB</p>		<p>Industrial keyboard in Spanish with 64 keys, finished in stainless steel in black color, USB interface, protection NEMA4X IP65 resistant to water, dust and vandalism. Dimensions 300mm x 110mm. With Hub to connect a Mouse</p>
<p>LBMKB35701</p>		<p>Mini stainless steel keyboard, with 64 keys. USB interface. It is resistant to dust, water and vandalism. Protection IP65, NEMA4X. Dimensions 230mm x 87mm</p>
<p>LBKB35002</p>		<p>Industrial keyboard in Spanish with 64 keys, finished in 304 stainless steel, USB interface, NEMA4X IP65 protection resistant to water, dust and vandalism. Dimensions 300mm x 110mm</p>
<p>LBKB35008</p>		<p>Industrial keyboard in Spanish with 64 keys (does not include function keys or numeric keypad), for surface mounting on the back with 304 stainless steel finish, USB interface, NEMA 4X IP65 protection</p>



Automation



Sensors



Industrial Computers



Data Acquisition



Test & Measurement Equipment



North America



Central and South America

Metallic Keyboard whit Trackball-Touchpad

MODEL	IMAGE	DESCRIPTION
LBKB35005K-DT		Stainless steel anti-vandalism metal keyboard with 106 keys (includes ñ key and function keys) with trackball. Protection: IP65; NEMA4X. Interface: USB. Mounting Type: Rear mounting. Aluminum alloy housing
LBKB35005L		Industrial keyboard in Spanish with 83 keys (includes ñ key and function keys), with track ball and backlight, surface mounting, stainless steel, USB interface, NEMA4X IP65 protection, resistant to dust, water and vandalism.
LBMKB35704		Mini stainless steel keyboard, 106 keys, with integrated numeric keypad and TrackBall. For mounting on the rear part. USB interface. It is resistant to dust, water, and vandalism. Protection IP65, NEMA4X. Dimensions 370mm x 104mm.
LBKB-CA354		Industrial keyboard in Spanish for desk with 83 keys (includes function keys, does not include numeric keypad), finished in 304 stainless steel, with touchpad, USB interface, NEMA4X protection, IP65. Dustproof, waterproof, vandal resistant.
LBKWS35001		Desktop keyboard with 66 keys, with mounting screws, built with 304 stainless steel, integrated trackball. Comes with shelf. USB interface. Resistant to dust, water and vandalism. Protection IP65, NEMA4X.
LBKWS35003		Industrial keyboard in stainless steel in Spanish for desktop mounting, includes function keys and trackball, USB interface. NEMA 4X and IP65 protection.

MODEL	IMAGE	DESCRIPTION
LBKB-CA353		Industrial keyboard in Spanish for desktop with 83 keys (includes function keys, without numeric keypad), in 304 stainless steel with optical trackball, USB interface, NEMA4X IP65 protection resistant to dust, water and vandalism
LBKBCA352		Industrial keyboard for desk in Spanish with 66 keys, finished in 304 stainless steel, with touchpad, USB interface, NEMA4X protection, IP65. It is resistant to water, dust and vandalism.
LBKB35020		Industrial keyboard with Touch Pad. 104 keys (includes numeric keypad) Surface mounting on the back. Finished in stainless steel, USB interface, NEMA4X IP65. Dimensions: 385mm x 180mm
LBKB35021		Industrial keyboard with Track Ball. 104 keys (includes numeric keypad) Surface mounting on the back. Finished in stainless steel, USB interface, NEMA4X IP65. Dimensions: 385mm x 180mm
LBKB-CA351		Industrial keyboard for desk with 66 keyboard and TrackBall, finished in stainless steel, USB interface, waterproof, dust and vandalism
LBKB35005K		Industrial keyboard in Spanish with 106 keys (includes ñ key, function keys and numeric keypad), surface mount, 304 stainless steel, optical trackball, USB interface, IP65 NEMA 4X protection, resistant to dust, water and vandalism.
LBKD-37100P-USB-BLK		Industrial keyboard in Spanish with 1U 19 "rack-mountable keyboard drawer handle, 106 keys, easy-to-operate touchpad, USB interface, black metal housing, complies with the industry standard EIA-310C, built with high-strength steel Plug & play connection.



Automation



Sensors



Industrial Computers



Data Acquisition











Test & Measurement Equipment










North America



Central and South America

MODEL	IMAGE	DESCRIPTION
LBKB35015		Keyboard 304 stainless steel, 83 keys, with integrated trackball and numeric keypad. USB interface. It measures 420mm x 125mm. Protection IP65, NEMA4X.
LBMKB35703		Industrial Keyboard in Spanish (Function key and trackball), stainless steel material, USB interface, dimensions of 300 x 104 mm (front panel), NEMA 4X / IP65 protection.
LBKB35205		Industrial keyboard in Spanish with 86 keys (includes ñ key and function keys, does not include numeric keypad), for surface mounting on the back, finished in 304 stainless steel, optical trackball.
LBKB35005		Industrial keyboard in Spanish with 83 keys (includes ñ key and function keys), surface mount, 304 stainless steel, optical trackball (diameter: 38mm), USB interface, NEMA4X IP65 NEMA 4X protection, resistant to dust, water and vandalism.
LBKB35006		Industrial keyboard in Spanish with 83 keys (includes function keys), finished in stainless steel, integrated touchpad, USB interface, laser-engraved letters, Spanish language (includes ñ key) NEM protection
LBMKB35705BL		Mini stainless steel keyboard, black color, with 68 keys, integrated trackball. For mounting on the back. USB interface. It is resistant to dust, water and vandalism. Protection IP65, NEMA4X.
LBMKB35705		Industrial Keyboard in Spanish with trackball, stainless steel material, USB interface, dimensions of 293 x 87 mm (front panel), NEMA 4X / IP65 protection.
LBKB35001T-P		Industrial keyboard in Spanish with 66 keys, finished in 304 stainless steel with touchpad, USB interface, NEMA4X IP65 protection resistant to water, dust and vandalism. Assembly ne Panel. Dimensions of 392 mm x 110 mm and weight of 1.75 Kg

MODEL	IMAGE	DESCRIPTION
LBKB35001BL		Industrial keyboard in Spanish with 66 keys, includes key'n', finished in 304 stainless steel black with TrackBall (diameter 38mm), USB interface, NEMA4X IP65 protection resistant to water, dust and vandalism
LBKB35001T		Industrial keyboard in Spanish with 66 keys, finished in 304 stainless steel with touchpad, USB interface, NEMA4X IP65 protection resistant to water, dust and vandalism. Dimensions of 392 mm x 110 mm and weight of 1.75 Kg
LBKB35003		Industrial keyboard in Spanish with 66 keys, finished in 304 stainless steel with TrackBall (diameter: 25mm), USB interface, NEMA 4X / IP65 protection, resistant to water, dust and vandalism. Dimensions: 330mm x 100mm.
LBKB35001		Industrial keyboard in Spanish with 66 keys, finished in 304 stainless steel with TrackBall (diameter: 25mm), USB interface, NEMA 4X / IP65 protection, resistant to water, dust and vandalism. Dimensions: 330mm x 100mm.
LBKB35007		Industrial keyboard in Spanish with 66 keys, finished in 304 stainless steel with optical trackball, USB interface, protection NEMA4X IP65 resistant to water, dust and vandalism
LBKB35010		Keyboard 304 stainless steel, 66 keys, with integrated trackball. USB interface. For panel mounting. Measures 400mm x 124mm. Dustproof, waterproof, vandal resistant. Protection IP65, NEMA4X.
LBKB35003-FN		Industrial keyboard in Spanish with function keys on numeric keys, 3 buttons for mouse, finished in 304 stainless steel with TrackBall, USB interface, protection NEMA 4X / IP65, waterproof, dust and vandalism. Dimensions: 330mmx100mm



Automation



Sensors



Industrial Computers



Data Acquisition



Test & Measurement Equipment



North America







Central and South America








SILICONE KEYBOARD



Silicone Keyboard whitout Trackball-Touchpad

MODEL	IMAGE	DESCRIPTION
LBSK35317		2.4G wireless solar keyboard. White rigid silicon material. Works in rooms with ambient light. Communication: USB2.0 receiver. 105 Keys Dimensions: 380x150x14mm. Protection level: IP65
LBSK35301		Silicon keyboard in Spanish with 102 keys and 2 mouse buttons (includes ñ key, function keys and numeric keypad), USB interface, IP68 protection, water resistant
LBSK35305		Industrial keyboard, medical grade, 105 keys, USB connection, measures 440x140
LBSK35312		Rigid silicone washable and antibacterial keyboard. 100 Keys, Spanish. IP68 protection. USB 2.0 communication With keyboard on / off button. Dimensions: 380 (L) x130 (A) x10 (H) mm.

Silicone Keyboard whit Trackball-Touchpad

MODEL	IMAGE	DESCRIPTION
LBSK35308		Silicon keyboard in Spanish with 116 keys, includes function keys, "ñ" key, numeric keypad, touchpad, USB interface and IP68 waterproof protection. Dimensions: 346 (L) x 136 (W) x 12 (T) mm
LBSK35311		Rigid silicone keyboard with 110 keys (with key ñ) and touchpad, protection against microbes for use in hospitals and the food industry. Backlight with on / off switch, dust and water resistant, washable, IP68 protection. USB interface, black color.
LBSK35314		Rigid silicone washable and antibacterial keyboard. 118 Keys, Spanish. IP68 protection. USB 2.0 communication With keyboard on / off button.
LBSK35302		Industrial silicone keyboard with integrated touchpad, 99 keys, USB interface, Spanish language includes ñ key, IP67 protection (water resistant, liquid spill, dust).
LBSK35310-WL		Black rigid wireless silicone keyboard, includes touchpad, layout in Spanish with 105 keys, includes key'ñ', communication: 2.4G includes USB receiver, dimensions: 418 (L) x 133 (W) x 16 (T) mm , IP68 protection
LBSK35303		Mini silicone industrial keyboard in Spanish with 87 keys and mouse (includes ñ key and function keys, no numeric keypad included), USB interface, IP68 protection, water resistant, dimensions 230 mm x 150 mm
LBSK35307-WL		Black rigid wireless silicone keyboard, layout in Spanish with 98 keys, includes'ñ' key, communication: Bluetooth, dimensions: 272 (L) x 135 (W) x 12 (T) mm, IP68 protection



Automation



Sensors



Industrial Computers



Data Acquisition



Test & Measurement Equipment









North America



Central and South America




KEYPAD



MODEL	IMAGE	DESCRIPTION
LBKP35903		Industrial keyboard with 16 numeric keys, Cancel, Clear and Enter keys. Includes trackball. Finished in stainless steel. USB interface, NEMA 4X / IP65 protection, resistant to water, dust and vandalism. Dimensions: 196X100 mm
LBKP35903-ESC		Industrial keyboard with 16 numeric keys, ESC, PgUp, PgDn, Enter and Clear keys. Includes trackball. Finished in stainless steel. USB interface, NEMA 4X / IP65 protection, resistant to water, dust and vandalism. Dimensions: 196 X 100 mm
LBKP35902		Numeric keypad with 16 keys, stainless steel material, with USB interface, keys laser engraved. Resistant to shock, water and vibration (IP65 and NEMA 4X protection). Dimensions 160 mm x 102 mm.
LBKP35905		Numeric keypad with 16 keys, stainless steel material, with USB interface, keys laser engraved. Resistant to shock, water and vibration. Dimensions 97 mm x 85 mm.
LBKP35900		Numeric keypad with 16 keys, material stainless steel, with USB interface, keys engraved with laser in gray scale. Resistant to shock, water and vibration (IP65 and NEMA 4X protection). Dimensions 100 mm x 9
LBKP35901		Numeric keypad with 16 keys, material stainless steel, with USB interface, keys laser engraved in black color. Resistant to shock, water and vibration (IP65 and NEMA 4X protection). Dimensions 91.5 mm x 87.5

WIRELESS KEYBOARDS



MODEL	IMAGE	DESCRIPTION
LBSK35317		2.4G wireless solar keyboard. White rigid silicon material. Works in rooms with ambient light. Communication: USB2.0 receiver. 105 Keys Dimensions: 380x150x14mm. Protection level: IP65
LBSK35310-WL		Black rigid wireless silicone keyboard, includes touchpad, layout in Spanish with 105 keys, includes key'ñ', communication: 2.4G includes USB receiver, dimensions: 418 (L) x 133 (W) x 16 (T) mm , IP68 protection
LBSK35307-WL		Black rigid wireless silicone keyboard, layout in Spanish with 98 keys, includes'ñ' key, communication: Bluetooth, dimensions: 272 (L) x 135 (W) x 12 (T) mm, IP68 protection



Automation



Sensors



Industrial Computers



Data Acquisition



Test & Measurement Equipment








North America







Central and South America

LAYOUT US



MODEL	IMAGE	DESCRIPTION
LBKB35005-US		Industrial keyboard with 83 keys (includes function keys), layout in English, surface mounting, 304 stainless steel, optical trackball (diameter: 38mm), USB interface, NEMA4X IP65 NEMA 4X protection, resistant to dust, water and vandalism (US layout)
LBKB35007-US		Industrial keyboard with 66 keys, layout in English, finished in 304 stainless steel with optical trackball (diameter: 38mm), USB interface, protection NEMA4X IP65 resistant to water, dust and vandalism (US layout)
LBKB35001-US		Industrial keyboard with 66 keys, layout in English, finished in 304 stainless steel with TrackBall (diameter: 38mm), USB interface, protection NEMA4X IP65 waterproof, dust and vandalism (US Layout)
LBKB35003-US		Industrial keyboard with 66 keys, layout in English, finished in 304 stainless steel with TrackBall (diameter: 25mm), USB interface, NEMA 4X / IP65 protection, resistant to water, dust and vandalism. Dimensions: 330mm x 100mm (US Layout)
LBKB35008-US		Industrial keyboard with 64 keys (does not include function keys or numeric keypad), layout in English, finished in 304 stainless steel, for surface mounting on the back, USB interface, protection NEMA 4X IP65 (US Layout)

MODEL	IMAGE	DESCRIPTION
LBSK35308-US		Silicon keyboard with 116 keys, layout in English, include function keys, numeric keypad and touchpad, USB interface and IP68 waterproof protection (US Layout). Dimensions: 346 (L) x 136 (W) x 12 (T) mm
LBSK35301-US		Silicone keyboard with 102 keys and 2 mouse buttons (includes function keys and numeric keypad), layout in English, USB interface, IP68 waterproof protection (US layout)
LBSK35311-US		Rigid silicone keyboard with 110 keys and touchpad, layout in English, protection against microbes for use in hospitals and the food industry. Backlight with on / off switch, dust and water resistant, washable, IP68 protection. USB interface, black color (US layout)
LBSK35303-US		Mini silicone industrial keyboard with 87 keys and mouse (includes function keys), layout in English, USB interface, IP67 protection, water resistant. (US Layout)



Automation



Sensors



Industrial Computers



Data Acquisition



Test & Measurement Equipment



North America



Central and South America